





**CHARTS AND TABLES OF THE 2001  
EASTERN BERING SEA  
CRAB SURVEY**


NATIONAL MARINE FISHERIES SERVICE  
Resource Assessment and Conservation Engineering Division  
Kodiak Laboratory  
Kodiak Fishery Research Center  
301 Research Court  
Kodiak, Alaska 99615  
(907) 481-1700











**Table 7. Summary of crab density by tow (# per square nmi) for Red King Crab. (*Paralithodes camtschaticus*)**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small		
C08	6/8/01	55 39.1	163 24.8	42	79	0	0	79	0	0	0	79
C09	6/3/01	55 39.7	162 51.0	27	304	152	0	456	76	0	76	532
D07	6/8/01	55 58.9	163 57.7	48	78	0	0	78	0	0	0	78
D08	6/8/01	55 59.6	163 24.4	46	241	0	0	241	0	0	0	241
D09	6/3/01	56 0.0	162 48.9	41	0	81	161	242	403	0	403	645
D10	6/3/01	56 0.1	162 13.8	37	854	776	233	1863	1164	0	1164	3027
E07	6/8/01	56 20.5	163 58.6	45	837	167	0	1004	0	0	0	1004
E08	6/8/01	56 18.5	163 24.8	45	0	168	0	168	0	0	0	168
E09	6/3/01	56 20.2	162 47.4	41	78	156	0	234	78	0	78	313
E10	6/3/01	56 20.1	162 11.2	40	169	85	761	1015	3977	169	4146	5161
E11	6/3/01	56 19.8	161 37.1	33	80	160	160	400	1041	0	1041	1442
E12	6/3/01	56 19.7	160 59.9	28	82	82	164	329	821	0	821	1150
F07	6/8/01	56 37.0	163 55.9	40	113	0	0	113	0	0	0	113
F08	6/8/01	56 39.5	163 21.3	40	0	83	0	83	0	0	0	83
F09	6/4/01	56 39.8	162 46.4	38	458	153	458	1068	76	0	76	1144
F10	6/4/01	56 39.7	162 9.8	39	74	0	1103	1177	2206	441	2648	3825
F11	6/4/01	56 39.7	161 36.5	48	0	158	1585	1743	10777	475	11253	12996
F12	6/3/01	56 41.3	160 58.9	36	330	907	1237	2473	2391	0	2391	4864
F13	5/31/01	56 41.1	160 22.3	32	329	657	1807	2793	4271	82	4353	7146
G08	6/7/01	56 59.1	163 22.9	34	310	310	310	931	155	0	155	1086
G09	6/4/01	57 0.1	162 46.6	32	325	487	325	1137	325	162	487	1625
G10	6/4/01	57 0.1	162 9.8	31	246	82	657	986	164	0	164	1150
G11	6/2/01	56 59.8	161 34.5	36	157	157	392	706	471	0	471	1176
G12	6/2/01	56 59.5	160 56.8	34	245	408	3180	3833	1794	1631	3425	7257
G13	5/31/01	57 0.4	160 19.7	32	638	239	638	1516	1117	80	1197	2713
G14	5/31/01	56 59.9	159 43.0	30	322	643	482	1447	482	0	482	1929
G15	5/31/01	56 59.9	159 7.3	16	0	81	81	162	0	0	0	162
G20	6/28/01	57 0.3	169 32.9	32	79	0	0	79	0	0	0	79
G22	6/28/01	57 6.9	170 27.7	26	5981	11332	6374	23686	18617	0	18617	42303
H07	6/7/01	57 19.7	164 0.5	32	316	0	0	316	0	0	0	316
H08	6/7/01	57 19.4	163 23.3	27	645	81	0	726	0	0	0	726
H09	6/4/01	57 20.0	162 45.9	25	571	652	163	1386	82	0	82	1468
H10	6/4/01	57 19.8	162 9.8	26	472	315	472	1259	472	79	551	1810

**Table 7. Summary of crab density by tow (# per square nmi) for Red King Crab. (*Paralithodes camtschaticus*)**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small		
H11	6/2/01	57 19.9	161 33.0	28	400	0	240	641	801	0	801	1442
H12	6/2/01	57 19.3	160 56.5	32	151	226	1656	2032	10990	0	10990	13022
H13	5/31/01	57 18.3	160 18.5	30	0	292	292	585	731	0	731	1315
H14	5/31/01	57 20.3	159 40.8	29	164	246	491	900	409	0	409	1309
H15	5/30/01	57 21.3	159 1.9	25	0	81	0	81	81	161	242	323
H16	5/29/01	57 21.3	158 24.2	17	0	0	85	85	0	0	0	85
H20	6/29/01	57 19.6	169 34.0	34	1092	168	0	1260	0	0	0	1260
H20	6/24/01	57 29.6	169 21.9	37	80	0	0	80	0	0	0	80
H21	6/28/01	57 10.1	169 53.1	26	0	0	0	0	0	83	83	83
H21	6/29/01	57 29.9	169 59.3	36	954	0	0	954	0	0	0	954
I07	6/7/01	57 39.7	164 0.1	26	83	0	0	83	0	0	0	83
I08	6/7/01	57 39.9	163 21.1	25	152	0	76	228	76	0	76	304
I09	6/4/01	57 39.9	162 44.9	22	479	239	80	798	80	0	80	878
I10	6/4/01	57 40.3	162 8.5	24	160	0	320	481	320	0	320	801
I11	6/2/01	57 39.9	161 30.4	27	405	243	1052	1700	2995	729	3724	5424
I12	6/2/01	57 38.2	160 54.3	30	367	220	440	1026	586	0	586	1613
I13	6/1/01	57 40.1	160 15.8	28	627	78	78	784	549	0	549	1333
I14	6/1/01	57 40.1	159 36.8	26	76	302	227	604	680	0	680	1284
I15	5/30/01	57 39.6	159 0.9	24	0	0	81	81	0	81	81	161
I20	6/29/01	57 39.9	169 39.4	37	80	0	0	80	0	0	0	80
J05	6/12/01	57 59.6	165 14.8	26	80	0	80	160	0	0	0	160
J07	6/7/01	58 0.0	164 0.8	24	80	0	0	80	80	0	80	161
J08	6/7/01	57 59.6	163 22.4	22	0	82	0	82	0	0	0	82
J09	6/4/01	57 59.9	162 45.0	20	82	0	0	82	0	0	0	82
J10	6/5/01	57 59.9	162 6.3	19	161	81	81	323	242	0	242	565
J11	6/2/01	57 59.6	161 29.0	28	163	82	571	815	408	734	1142	1957
J12	6/2/01	57 58.9	160 49.7	24	75	300	4501	4876	1951	4726	6677	11553
J13	6/1/01	57 59.7	160 13.1	26	750	834	250	1834	1084	83	1167	3001
J14	6/1/01	58 0.9	159 36.5	22	153	153	0	306	153	0	153	459
J15	5/30/01	57 59.1	158 57.0	20	0	0	0	0	0	77	77	77
J21	6/29/01	58 0.1	170 20.0	39	0	0	76	76	0	0	0	76
K05	6/12/01	58 20.1	165 17.4	23	80	0	0	80	80	0	80	161
K10	6/5/01	58 20.4	162 3.2	24	252	168	168	588	0	0	0	588

**Table 7. Summary of crab density by tow (# per square nmi) for Red King Crab. (*Paralithodes camtschaticus*)**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small		
K11	6/2/01	58 13.2	161 32.7	20	0	153	0	153	0	0	0	153
K13	6/1/01	58 17.2	159 58.1	23	0	0	438	438	146	0	146	585
L05	6/12/01	58 39.6	165 19.9	20	0	0	0	0	84	0	84	84
L06	6/12/01	58 39.7	164 39.6	19	0	84	0	84	0	0	0	84
L07	6/6/01	58 39.7	164 0.7	17	0	0	0	0	79	0	79	79
L19	6/24/01	58 39.7	169 9.0	33	0	0	0	0	82	0	82	82
M01	6/22/01	59 0.7	167 52.9	20	0	78	0	78	0	0	0	78
M02	6/22/01	58 59.3	167 13.1	20	0	0	0	0	93	0	93	93
M18	6/23/01	58 59.7	168 33.3	24	85	0	0	85	85	0	85	170
N01	6/22/01	59 19.2	167 55.3	20	0	0	86	86	0	0	0	86
O02	6/22/01	59 39.5	167 18.7	15	0	0	0	0	0	73	73	73
O04	6/13/01	59 37.0	165 57.2	13	77	0	0	77	77	0	77	154
O18	6/23/01	59 39.7	168 37.0	20	0	0	0	0	87	0	87	87
P01	6/22/01	59 60.0	167 59.3	13	81	0	0	81	0	0	0	81
Q01	6/22/01	60 20.8	167 59.5	15	0	0	0	0	87	0	87	87

NOTE: Minimum carapace sizes used are: Large Males > 6.5 in; Medium Males = 5.2 to 6.5 in; Large Females > 4.3 in.

**Table 8A. Summary of crab density by tow (# per square nmi) for Pribilofs Blue Kings. (*Paralithodes platypus*)**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
F20	6/28/01	56 39.9	169 29.9	42	0	0	0	0	162	0	162	162
F20	6/26/01	56 49.8	169 18.6	42	0	0	0	0	75	0	75	75
F21	6/28/01	56 50.0	169 52.3	38	78	0	0	78	78	0	78	156
G19	6/26/01	57 9.7	168 40.1	40	0	0	0	0	78	0	78	78
G20	6/28/01	57 0.3	169 32.9	32	0	0	0	0	395	0	395	395
G20	6/26/01	57 9.8	169 18.9	38	0	0	0	0	673	0	673	673
H19	6/24/01	57 29.9	168 45.9	37	0	163	0	163	82	0	82	245
H19	6/26/01	57 19.6	168 59.5	37	1426	317	79	1823	5547	0	5547	7370
H20	6/29/01	57 19.6	169 34.0	34	84	0	0	84	252	0	252	336
H20	6/24/01	57 29.6	169 21.9	37	0	0	0	0	0	80	80	80
H21	6/28/01	57 10.1	169 53.1	26	248	83	0	331	0	0	0	331
H21	6/29/01	57 29.9	169 59.3	36	80	0	0	80	0	0	0	80
I19	6/24/01	57 39.9	169 2.6	36	0	0	84	84	0	0	0	84

NOTE: Minimum carapace sizes used are: Large Males > 6.5 in; Medium Males = 5.2 to 6.5 in; Large Females > 4.3 in.

**Table 8B. Summary of crab density by tow (# per square nmi) for St. Matt. Blue Kings. (*Paralithodes platypus*)**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small		
N25	7/10/01	59 20.0	173 9.1	53	86	0	0	86	0	0	0	86
O24	7/10/01	59 40.0	172 33.8	44	324	0	0	324	0	0	0	324
O25	7/10/01	59 30.2	172 52.5	50	402	0	0	402	0	0	0	402
O25	7/10/01	59 49.9	172 54.6	41	623	389	156	1168	0	0	0	1168
O25	7/10/01	59 40.0	173 13.9	50	718	0	0	718	0	0	0	718
P19	6/23/01	60 0.7	169 19.2	24	0	0	80	80	0	0	0	80
P23	7/3/01	59 59.8	171 57.8	34	0	78	0	78	78	0	78	156
P23	7/3/01	59 50.1	172 15.2	39	154	0	0	154	0	0	0	154
P24	7/11/01	60 0.1	172 37.9	35	86	0	0	86	0	0	0	86
P24	7/3/01	60 9.7	172 19.6	30	162	243	162	567	81	0	81	648
P25	7/11/01	60 0.1	173 18.4	39	162	81	162	405	0	0	0	405
P26	7/10/01	59 50.1	173 34.8	50	395	316	79	790	0	0	0	790
Q21	7/1/01	60 19.8	170 39.9	33	82	0	0	82	82	0	82	165
Q23	7/3/01	60 20.3	172 3.4	31	0	0	158	158	0	0	0	158
Q25	7/11/01	60 11.2	173 1.8	31	234	156	1407	1797	391	860	1250	3048
Q25	7/11/01	60 10.0	173 34.3	38	317	238	555	1109	0	79	79	1189
Q25	7/11/01	60 20.0	173 25.5	33	0	450	150	600	0	150	150	750
Q28	7/17/01	60 21.0	175 22.6	60	0	0	0	0	78	0	78	78
R24	7/11/01	60 40.0	172 47.1	22	158	79	158	395	0	0	0	395
U26	7/13/01	61 39.9	174 26.6	42	76	0	0	76	0	0	0	76
W26	7/13/01	62 19.5	174 34.6	38	0	0	0	0	77	0	77	77
W27	7/13/01	62 20.0	175 15.6	41	0	0	0	0	78	0	78	78
X24	7/12/01	62 39.8	173 11.8	33	0	0	80	80	0	80	80	159
X25	7/13/01	62 39.6	173 54.8	37	0	0	80	80	0	80	80	160

NOTE: Minimum carapace sizes used are: Large Males > 5.5 in; Medium Males = 4.3 to 5.5 in; Large Females > 3.8 in.

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab.

(Chionoecetes bairdi)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
A02	6/18/01	55 0.4	166 55.3	78	0	200	15938	16138	333	23915	24248	40386
A03	6/18/01	54 60.0	166 20.5	77	405	2267	12953	15625	4453	22344	26797	42421
A04	6/18/01	54 59.9	165 45.7	69	0	87	31347	31433	261	45218	45479	76912
A04	6/10/01	54 50.3	165 32.4	82	0	0	13150	13150	0	17511	17511	30662
A05	6/10/01	55 0.5	165 9.2	59	0	314	6901	7214	78	10508	10586	17801
B01	6/18/01	55 20.6	167 28.4	77	0	86	4193	4279	0	5306	5306	9584
B02	6/18/01	55 19.9	166 57.1	74	0	264	1143	1407	88	1582	1670	3077
B03	6/18/01	55 21.0	166 21.1	71	406	1219	8450	10075	2844	5200	8044	18118
B04	6/18/01	55 20.8	165 46.5	64	172	687	25449	26308	1289	22768	24057	50365
B05	6/10/01	55 19.9	165 10.5	59	0	504	10581	11085	0	10581	10581	21666
B06	6/10/01	55 21.2	164 32.8	54	3656	1828	5484	10967	1942	4798	6740	17708
B07	6/8/01	55 20.3	164 2.0	42	164	0	327	491	82	82	164	655
B08	6/8/01	55 20.2	163 24.7	27	920	1422	1506	3849	84	335	418	4267
C01	6/20/01	55 39.4	167 35.4	72	83	167	3001	3251	333	9002	9336	12587
C02	6/20/01	55 40.3	166 59.8	72	0	527	615	1143	0	352	352	1495
C03	6/18/01	55 40.4	166 23.1	67	706	1333	1412	3450	314	784	1098	4548
C04	6/19/01	55 40.6	165 47.8	63	729	1731	108478	110938	1593	104846	106440	217378
C05	6/10/01	55 40.6	165 10.0	57	238	317	27241	27796	79	31628	31707	59503
C06	6/10/01	55 38.7	164 34.7	51	420	504	4955	5878	0	9405	9405	15284
C07	6/8/01	55 41.7	164 0.1	49	1172	860	4142	6174	1016	4611	5626	11800
C08	6/8/01	55 39.1	163 24.8	42	1185	1658	1421	4264	237	711	948	5212
C09	6/3/01	55 39.7	162 51.0	27	304	1217	1293	2813	152	76	228	3041
C18	6/27/01	55 39.2	168 11.9	73	0	0	10699	10699	0	18833	18833	29532
D01	6/20/01	56 0.4	167 36.8	71	0	85	2803	2888	85	4077	4161	7049
D02	6/20/01	56 0.9	167 0.6	72	179	804	357	1340	89	0	89	1429
D03	6/19/01	55 59.8	166 23.3	66	333	1667	15671	17671	5001	3751	8752	26424
D04	6/19/01	56 0.5	165 47.8	57	164	655	7775	8593	573	7366	7938	16532
D05	6/10/01	56 0.9	165 12.4	51	0	1117	19154	20271	479	19234	19713	39984
D06	6/10/01	55 59.8	164 36.5	49	395	711	19584	20690	79	21953	22032	42722
D07	6/8/01	55 58.9	163 57.7	48	78	621	11343	12042	233	12438	12671	24712
D08	6/8/01	55 59.6	163 24.4	46	402	643	11735	12780	723	9244	9967	22747
D09	6/3/01	56 0.0	162 48.9	41	242	0	403	645	81	242	323	968
D10	6/3/01	56 0.1	162 13.8	37	0	78	310	388	78	155	233	621

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab.

*(Chionoecetes bairdi)*

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
D18	6/27/01	56 0.9	168 13.9	81	0	147	12001	12147	0	15880	15880	28027
E01	6/20/01	56 20.4	167 39.1	68	0	0	8296	8296	82	9610	9692	17988
E02	6/20/01	56 21.2	167 2.6	60	0	246	2046	2292	1309	1146	2455	4747
E03	6/19/01	56 20.4	166 24.9	55	0	837	3765	4602	2845	3598	6442	11044
E04	6/19/01	56 19.8	165 48.5	48	158	237	3396	3790	158	3712	3869	7660
E05	6/11/01	56 20.6	165 11.9	45	233	854	2328	3415	78	1475	1552	4967
E06	6/11/01	56 20.5	164 35.5	45	80	721	2803	3604	240	2643	2883	6487
E07	6/8/01	56 20.5	163 58.6	45	84	586	1339	2008	84	586	669	2677
E08	6/8/01	56 18.5	163 24.8	45	0	756	420	1176	168	420	588	1764
E09	6/3/01	56 20.2	162 47.4	41	156	625	1485	2266	234	156	391	2657
E10	6/3/01	56 20.1	162 11.2	40	0	592	931	1523	85	254	338	1861
E11	6/3/01	56 19.8	161 37.1	33	561	961	320	1842	80	0	80	1922
E12	6/3/01	56 19.7	160 59.9	28	0	164	164	329	0	82	82	411
E18	6/27/01	56 20.3	168 15.0	82	0	701	30121	30822	0	32779	32779	63601
E19	6/27/01	56 20.0	168 53.4	69	0	76	9079	9155	0	10833	10833	19988
E20	6/27/01	56 20.6	169 28.5	75	0	0	7157	7157	0	6209	6209	13366
E21	6/27/01	56 20.4	170 5.4	59	0	153	5205	5359	77	6124	6201	11559
E22	6/27/01	56 20.2	170 41.0	65	0	81	1291	1371	0	887	887	2259
F01	6/20/01	56 40.8	167 40.6	53	0	0	1964	1964	0	1882	1882	3846
F02	6/20/01	56 40.3	167 3.3	50	0	246	1964	2210	82	573	655	2864
F03	6/19/01	56 40.1	166 26.0	44	0	322	3135	3456	322	884	1206	4662
F04	6/19/01	56 39.8	165 50.9	41	162	324	1133	1619	0	405	405	2024
F05	6/11/01	56 40.6	165 12.7	40	0	559	1197	1756	479	479	958	2713
F06	6/11/01	56 41.1	164 35.9	39	0	975	4956	5931	325	812	1137	7069
F07	6/8/01	56 37.0	163 55.9	40	0	113	792	905	226	113	339	1244
F08	6/8/01	56 39.5	163 21.3	40	0	250	1250	1500	83	333	417	1917
F09	6/4/01	56 39.8	162 46.4	38	0	229	687	915	76	534	610	1526
F10	6/4/01	56 39.7	162 9.8	39	74	147	1692	1912	0	294	294	2206
F11	6/4/01	56 39.7	161 36.5	48	951	951	0	1902	0	158	158	2060
F12	6/3/01	56 41.3	160 58.9	36	577	0	907	1484	0	824	824	2308
F13	5/31/01	56 41.1	160 22.3	32	82	411	493	986	0	493	493	1478
F14	5/31/01	56 39.4	159 44.7	18	0	80	0	80	0	0	0	80
F18	6/27/01	56 40.6	168 16.7	57	0	162	18852	19014	81	16051	16132	35146

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab.

(Chionoecetes bairdi)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
F19	6/27/01	56 40.2	168 55.6	53	0	80	9999	10078	80	15532	15612	25690
F20	6/28/01	56 39.9	169 29.9	42	0	162	1538	1700	81	567	648	2348
F20	6/26/01	56 49.8	169 18.6	42	0	149	10252	10401	75	11218	11292	21693
F21	6/28/01	56 50.0	169 52.3	38	0	156	4142	4298	78	3282	3360	7658
F21	6/28/01	56 40.6	170 7.9	51	160	399	3512	4070	1836	3033	4868	8939
F22	6/27/01	56 40.0	170 44.2	60	0	423	2961	3384	0	2538	2538	5923
F23	7/8/01	56 39.8	171 21.8	63	0	80	2243	2323	0	2963	2963	5286
F24	7/8/01	56 40.1	171 57.9	67	0	90	181	271	0	271	271	542
F25	7/8/01	56 40.3	172 34.1	73	0	0	232	232	0	155	155	387
G01	6/20/01	57 0.3	167 42.3	40	0	158	3487	3645	0	1506	1506	5151
G02	6/20/01	57 0.0	167 5.1	60	0	81	567	648	0	0	0	648
G03	6/19/01	57 0.1	166 28.0	38	0	0	325	325	81	0	81	406
G04	6/19/01	56 59.0	165 50.5	38	0	159	239	398	80	159	239	636
G05	6/11/01	57 0.1	165 12.6	37	77	307	768	1152	0	0	0	1152
G06	6/11/01	56 59.8	164 35.7	37	225	113	1463	1800	225	0	225	2026
G08	6/7/01	56 59.1	163 22.9	34	0	233	931	1164	78	78	155	1319
G09	6/4/01	57 0.1	162 46.6	32	0	0	569	569	0	244	244	812
G10	6/4/01	57 0.1	162 9.8	31	0	0	1068	1068	82	2136	2218	3286
G11	6/2/01	56 59.8	161 34.5	36	0	0	392	392	0	863	863	1255
G12	6/2/01	56 59.5	160 56.8	34	0	163	652	815	0	815	815	1631
G13	5/31/01	57 0.4	160 19.7	32	80	160	239	479	0	0	0	479
G14	5/31/01	56 59.9	159 43.0	30	0	0	80	80	0	0	0	80
G18	6/26/01	56 59.4	168 19.0	43	0	0	12499	12499	246	7366	7611	20110
G19	6/26/01	57 9.7	168 40.1	40	0	0	4906	4906	234	4361	4595	9501
G19	6/26/01	56 50.2	168 37.4	51	0	0	8161	8161	0	10957	10957	19118
G19	6/26/01	56 59.7	168 56.8	42	0	0	1696	1696	0	2235	2235	3931
G20	6/28/01	57 0.3	169 32.9	32	0	790	49246	50036	158	34018	34176	84212
G20	6/26/01	57 9.8	169 18.9	38	75	748	22613	23435	75	20645	20719	44155
G21	6/28/01	56 59.9	170 10.7	37	0	472	1338	1810	79	79	157	1967
G22	7/8/01	57 0.2	170 47.7	51	0	0	632	632	79	158	237	869
G22	6/28/01	56 50.1	170 29.2	54	0	698	8149	8847	233	5355	5588	14435
G22	6/28/01	57 6.9	170 27.7	26	0	79	1259	1338	79	472	551	1889
G23	7/8/01	57 0.2	171 23.7	58	0	239	5906	6145	160	7183	7342	13488

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab.

(Chionoecetes bairdi)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
G24	7/8/01	57 0.2	172 2.3	62	0	0	403	403	0	242	242	645
G25	7/8/01	57 0.3	172 41.6	65	0	0	1094	1094	78	1250	1328	2423
G26	7/8/01	57 0.3	173 14.8	75	0	0	85	85	0	169	169	254
H01	6/21/01	57 19.7	167 44.1	38	0	0	402	402	0	241	241	643
H02	6/21/01	57 20.5	167 6.3	37	0	0	2120	2120	245	2772	3017	5137
H04	6/14/01	57 20.3	165 51.2	36	0	260	346	606	87	0	87	692
H05	6/11/01	57 20.0	165 14.0	35	83	0	331	414	83	0	83	496
H06	6/11/01	57 19.4	164 37.0	35	0	83	167	250	0	333	333	583
H07	6/7/01	57 19.7	164 0.5	32	0	0	237	237	0	158	158	395
H08	6/7/01	57 19.4	163 23.3	27	0	242	81	323	0	0	0	323
H09	6/4/01	57 20.0	162 45.9	25	0	326	489	815	0	0	0	815
H11	6/2/01	57 19.9	161 33.0	28	0	0	160	160	0	0	0	160
H12	6/2/01	57 19.3	160 56.5	32	0	0	226	226	0	301	301	527
H13	5/31/01	57 18.3	160 18.5	30	0	0	292	292	0	292	292	585
H15	5/30/01	57 21.3	159 1.9	25	0	0	81	81	0	0	0	81
H18	6/26/01	57 20.5	168 20.9	38	0	0	1352	1352	0	477	477	1829
H19	6/24/01	57 29.9	168 45.9	37	0	0	245	245	82	245	326	571
H19	6/26/01	57 19.6	168 59.5	37	0	79	317	396	0	79	79	475
H20	6/29/01	57 19.6	169 34.0	34	0	1344	18687	20031	168	19582	19750	39780
H20	6/24/01	57 29.6	169 21.9	37	0	0	1121	1121	0	1041	1041	2162
H21	6/28/01	57 10.1	169 53.1	26	0	0	2317	2317	0	1489	1489	3806
H21	6/29/01	57 29.9	169 59.3	36	0	0	239	239	80	239	318	557
H21	6/28/01	57 19.4	170 13.4	28	0	84	0	84	0	0	0	84
H22	7/5/01	57 19.9	170 50.8	44	0	78	469	547	0	78	78	625
H22	6/29/01	57 29.7	170 35.0	39	0	0	588	588	0	1428	1428	2015
H23	7/5/01	57 20.0	171 27.9	53	0	0	318	318	0	159	159	477
H24	7/9/01	57 20.4	172 5.7	58	0	0	19339	19339	160	6327	6487	25826
H25	7/8/01	57 18.4	172 42.6	60	0	0	810	810	0	810	810	1619
H26	7/8/01	57 18.3	173 19.3	65	0	0	1045	1045	0	643	643	1688
I01	6/21/01	57 40.1	167 45.9	36	0	83	581	664	0	83	83	747
I02	6/21/01	57 40.6	167 7.5	36	0	0	421	421	0	0	0	421
I03	6/14/01	57 39.9	166 29.4	35	0	330	247	577	0	0	0	577
I04	6/14/01	57 40.6	165 51.8	33	0	176	527	703	0	0	0	703

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab.

(Chionoecetes bairdi)

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small		
I05	6/11/01	57 40.1	165 15.1	32	0	0	406	406	0	0	0	406
I06	6/11/01	57 40.2	164 37.4	27	0	239	80	318	0	0	0	318
I07	6/7/01	57 39.7	164 0.1	26	0	166	415	581	83	0	83	664
I08	6/7/01	57 39.9	163 21.1	25	0	76	0	76	0	0	0	76
I09	6/4/01	57 39.9	162 44.9	22	0	0	239	239	0	0	0	239
I10	6/4/01	57 40.3	162 8.5	24	0	160	0	160	0	0	0	160
I11	6/2/01	57 39.9	161 30.4	27	0	0	162	162	0	0	0	162
I12	6/2/01	57 38.2	160 54.3	30	0	0	440	440	0	293	293	733
I13	6/1/01	57 40.1	160 15.8	28	0	78	0	78	0	0	0	78
I18	6/24/01	57 40.0	168 23.8	37	0	0	84	84	0	0	0	84
I19	6/24/01	57 39.9	169 2.6	36	0	0	669	669	0	84	84	753
I20	6/29/01	57 39.9	169 39.4	37	0	0	8938	8938	0	9577	9577	18515
I20	6/24/01	57 49.5	169 22.0	34	0	0	2457	2457	0	396	396	2853
I21	6/29/01	57 39.8	170 16.3	38	0	0	7678	7678	0	5796	5796	13473
I22	7/5/01	57 39.7	170 53.3	45	0	84	1260	1344	0	252	252	1596
I22	6/29/01	57 49.7	170 36.4	40	0	0	425	425	0	566	566	991
I23	7/5/01	57 40.1	171 32.0	53	0	0	164	164	82	0	82	246
I24	7/9/01	57 40.0	172 9.8	57	0	0	15853	15853	0	14934	14934	30787
I25	7/9/01	57 40.3	172 48.3	63	0	0	8030	8030	80	7819	7899	15929
I26	7/9/01	57 40.1	173 23.9	78	0	76	8108	8184	0	8639	8639	16823
J02	6/21/01	58 0.1	167 9.5	33	0	255	679	934	0	0	0	934
J03	6/14/01	58 0.1	166 31.1	32	0	0	246	246	0	0	0	246
J05	6/12/01	57 59.6	165 14.8	26	0	80	240	320	0	0	0	320
J06	6/12/01	57 59.8	164 37.5	23	0	79	79	158	0	0	0	158
J07	6/7/01	58 0.0	164 0.8	24	0	80	80	161	0	0	0	161
J08	6/7/01	57 59.6	163 22.4	22	0	82	0	82	0	0	0	82
J11	6/2/01	57 59.6	161 29.0	28	0	82	0	82	0	0	0	82
J12	6/2/01	57 58.9	160 49.7	24	0	75	0	75	0	0	0	75
J13	6/1/01	57 59.7	160 13.1	26	0	83	83	167	0	0	0	167
J18	6/24/01	57 59.1	168 26.5	36	0	0	0	0	0	83	83	83
J19	6/24/01	57 50.8	168 43.7	37	0	0	82	82	0	0	0	82
J19	6/24/01	57 59.8	169 3.1	37	0	0	76	76	0	0	0	76
J20	6/29/01	57 59.5	169 40.8	37	0	0	1954	1954	0	1172	1172	3126

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab.

*(Chionoecetes bairdi)*

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
J21	6/29/01	57 50.3	169 59.8	39	0	0	17229	17229	0	17502	17502	34731
J21	6/29/01	58 0.1	170 20.0	39	0	0	4504	4504	0	2899	2899	7403
J22	7/5/01	58 0.1	170 58.5	46	0	0	85	85	0	0	0	85
J23	7/5/01	58 0.4	171 36.0	52	0	0	0	0	0	164	164	164
J24	7/9/01	57 59.6	172 14.6	56	0	160	4788	4948	319	4150	4469	9417
J25	7/9/01	58 0.2	172 51.7	57	0	0	1690	1690	0	614	614	2304
J26	7/9/01	58 0.0	173 28.8	62	0	0	5725	5725	0	5646	5646	11371
K03	6/14/01	58 19.7	166 33.0	24	82	0	0	82	0	0	0	82
K19	6/24/01	58 19.7	169 7.0	36	0	0	0	0	0	85	85	85
K20	6/29/01	58 19.9	169 43.1	37	0	0	239	239	0	80	80	319
K21	6/29/01	58 20.0	170 22.5	38	0	0	625	625	0	547	547	1172
K22	7/4/01	58 20.0	171 1.3	44	0	0	80	80	0	0	0	80
K23	7/4/01	58 20.2	171 39.4	50	0	77	306	383	0	230	230	612
K24	7/9/01	58 20.0	172 17.6	55	0	0	338	338	85	338	423	761
K25	7/9/01	58 20.0	172 55.9	57	0	0	0	0	0	167	167	167
K26	7/9/01	58 20.2	173 34.7	61	0	0	77	77	0	77	77	154
K27	7/15/01	58 20.1	174 18.0	87	0	0	708	708	0	1653	1653	2361
L20	6/30/01	58 40.0	169 47.6	36	0	0	250	250	0	333	333	583
L24	7/10/01	58 39.7	172 22.6	54	0	0	840	840	0	1680	1680	2519
L25	7/10/01	58 40.1	173 0.2	60	0	0	581	581	0	830	830	1412
L26	7/15/01	58 40.3	173 37.0	68	0	170	170	340	0	0	0	340
L27	7/15/01	58 40.1	174 15.4	83	0	0	78	78	0	0	0	78
L28	7/15/01	58 44.4	174 53.7	79	0	0	225	225	0	75	75	300
L29	7/16/01	58 40.5	175 32.9	72	0	84	418	502	335	669	1004	1506
L30	7/19/01	58 40.3	176 12.5	72	0	0	561	561	0	240	240	801
L31	7/19/01	58 39.8	176 49.0	73	0	0	79	79	0	0	0	79
M01	6/22/01	59 0.7	167 52.9	20	0	0	78	78	0	0	0	78
M19	6/23/01	59 0.1	169 13.0	28	0	0	162	162	0	0	0	162
M24	7/10/01	58 59.9	172 26.2	53	0	0	884	884	0	482	482	1366
M25	7/10/01	59 0.2	173 5.1	56	0	0	245	245	0	163	163	408
M26	7/15/01	59 0.2	173 43.1	63	0	78	313	391	0	156	156	547
M27	7/15/01	59 0.1	174 22.0	67	0	0	689	689	0	230	230	919
M28	7/16/01	58 59.6	175 1.9	69	0	0	2074	2074	154	2688	2842	4916

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab.

(Chionoecetes bairdi)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
M29	7/16/01	58 60.0	175 43.8	71	0	0	599	599	0	479	479	1077
M30	7/19/01	58 58.6	176 18.9	72	0	0	156	156	0	0	0	156
M31	7/19/01	58 59.9	176 58.4	72	0	0	161	161	0	0	0	161
M32	7/19/01	59 0.4	177 35.3	72	0	0	236	236	0	0	0	236
N24	7/10/01	59 20.0	172 29.9	46	0	0	472	472	0	0	0	472
N25	7/10/01	59 20.0	173 9.1	53	0	0	257	257	0	86	86	342
N26	7/15/01	59 19.6	173 47.9	59	0	0	545	545	0	234	234	779
N27	7/15/01	59 19.7	174 26.9	63	0	0	319	319	0	0	0	319
N28	7/16/01	59 19.9	175 6.8	71	0	80	241	322	0	0	0	322
N29	7/16/01	59 20.2	175 45.3	73	0	0	567	567	0	162	162	729
N30	7/19/01	59 20.1	176 23.8	73	0	84	5104	5187	0	4100	4100	9287
O21	6/30/01	59 40.1	170 34.8	35	0	0	80	80	0	0	0	80
O24	7/10/01	59 40.0	172 33.8	44	0	0	162	162	0	0	0	162
O25	7/10/01	59 30.2	172 52.5	50	0	0	322	322	0	80	80	402
O25	7/10/01	59 49.9	172 54.6	41	0	0	312	312	0	0	0	312
O25	7/10/01	59 40.0	173 13.9	50	0	0	160	160	0	0	0	160
O26	7/15/01	59 39.9	173 52.0	56	0	0	160	160	0	0	0	160
O26	7/10/01	59 30.2	173 29.8	54	0	0	81	81	0	81	81	162
O27	7/15/01	59 39.6	174 27.1	61	0	0	78	78	0	0	0	78
O28	7/16/01	59 39.9	175 6.1	67	0	0	77	77	0	0	0	77
O30	7/19/01	59 40.2	176 31.5	73	0	0	815	815	82	408	489	1305
O31	7/19/01	59 40.3	177 8.9	91	0	246	327	573	82	409	491	1064
P24	7/3/01	60 9.7	172 19.6	30	0	0	162	162	0	0	0	162
P26	7/10/01	59 50.1	173 34.8	50	0	0	79	79	0	0	0	79
P30	7/18/01	60 0.1	176 42.9	76	0	82	326	408	0	0	0	408
Q28	7/17/01	60 21.0	175 22.6	60	0	0	155	155	0	0	0	155
Q29	7/17/01	60 20.4	176 1.8	65	0	0	82	82	0	0	0	82
Q30	7/18/01	60 20.3	176 43.3	73	0	165	83	248	83	83	165	414
R29	7/17/01	60 40.4	176 12.2	63	0	0	0	0	0	79	79	79
R31	7/18/01	60 40.1	177 30.3	78	0	297	74	371	0	149	149	520
R32	7/18/01	60 40.1	178 10.8	86	0	0	154	154	77	385	462	617
S29	7/17/01	61 0.2	176 17.1	59	0	0	0	0	0	79	79	79
S30	7/18/01	61 0.1	176 58.3	65	0	0	1201	1201	0	721	721	1922

Table 9. Summary of crab density by tow (# per square nmi) for Tanner Crab.

*(Chionoecetes bairdi)*

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small		
T30	7/18/01	61 20.2	176 58.8	62	0	0	80	80	0	80	80	159
U26	7/13/01	61 39.9	174 26.6	42	0	0	76	76	0	0	0	76
Z05	6/10/01	54 39.6	165 7.8	43	0	84	6466	6550	0	5039	5039	11589

NOTE: Minimum carapace sizes used are: Large Males > 5.5 in; Medium Males = 4.3 to 5.5 in; Large Females > 3.4 in.

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab.

(Chionoecetes opilio)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
A02	6/18/01	55 0.4	166 55.3	78	266	133	333	732	0	0	0	732
A03	6/18/01	54 60.0	166 20.5	77	567	324	162	1052	0	0	0	1052
A04	6/18/01	54 59.9	165 45.7	69	87	87	521	695	0	0	0	695
A04	6/10/01	54 50.3	165 32.4	82	0	78	0	78	0	0	0	78
A05	6/10/01	55 0.5	165 9.2	59	235	78	157	471	0	0	0	471
B01	6/18/01	55 20.6	167 28.4	77	171	0	86	257	0	0	0	257
B02	6/18/01	55 19.9	166 57.1	74	176	176	440	791	0	0	0	791
B03	6/18/01	55 21.0	166 21.1	71	894	244	406	1544	0	0	0	1544
B04	6/18/01	55 20.8	165 46.5	64	687	515	687	1890	0	0	0	1890
B05	6/10/01	55 19.9	165 10.5	59	168	168	0	336	0	0	0	336
B06	6/10/01	55 21.2	164 32.8	54	1028	343	114	1485	0	0	0	1485
C01	6/20/01	55 39.4	167 35.4	72	83	83	0	167	0	0	0	167
C02	6/20/01	55 40.3	166 59.8	72	176	88	176	440	0	0	0	440
C03	6/18/01	55 40.4	166 23.1	67	392	157	0	549	0	0	0	549
C04	6/19/01	55 40.6	165 47.8	63	1640	273	91	2005	0	0	0	2005
C05	6/10/01	55 40.6	165 10.0	57	872	555	475	1902	0	0	0	1902
C06	6/10/01	55 38.7	164 34.7	51	1008	168	0	1176	0	0	0	1176
C07	6/8/01	55 41.7	164 0.1	49	391	156	234	781	0	0	0	781
C08	6/8/01	55 39.1	163 24.8	42	0	0	79	79	0	0	0	79
C09	6/3/01	55 39.7	162 51.0	27	0	0	76	76	0	0	0	76
C18	6/27/01	55 39.2	168 11.9	73	409	0	0	409	0	0	0	409
D02	6/20/01	56 0.9	167 0.6	72	89	0	0	89	0	0	0	89
D03	6/19/01	55 59.8	166 23.3	66	500	333	250	1084	83	0	83	1167
D04	6/19/01	56 0.5	165 47.8	57	2046	491	900	3437	0	0	0	3437
D05	6/10/01	56 0.9	165 12.4	51	1836	1437	718	3990	0	0	0	3990
D06	6/10/01	55 59.8	164 36.5	49	711	553	395	1658	79	0	79	1737
D07	6/8/01	55 58.9	163 57.7	48	1009	233	388	1630	0	0	0	1630
D08	6/8/01	55 59.6	163 24.4	46	482	482	80	1045	0	0	0	1045
D09	6/3/01	56 0.0	162 48.9	41	81	0	0	81	0	0	0	81
D18	6/27/01	56 0.9	168 13.9	81	147	73	147	367	0	0	0	367
E01	6/20/01	56 20.4	167 39.1	68	329	0	0	329	0	0	0	329
E02	6/20/01	56 21.2	167 2.6	60	655	409	491	1555	164	0	164	1719
E03	6/19/01	56 20.4	166 24.9	55	502	418	167	1088	251	0	251	1339

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab.

(Chionoecetes opilio)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small	Total		
E04	6/19/01	56 19.8	165	48.5	48	632	158	237	1027	79	0	79	1106
E05	6/11/01	56 20.6	165	11.9	45	310	233	155	698	0	0	0	698
E06	6/11/01	56 20.5	164	35.5	45	320	160	240	721	0	0	0	721
E07	6/8/01	56 20.5	163	58.6	45	251	84	84	418	0	0	0	418
E08	6/8/01	56 18.5	163	24.8	45	252	168	84	504	0	0	0	504
E09	6/3/01	56 20.2	162	47.4	41	313	156	0	469	0	0	0	469
E10	6/3/01	56 20.1	162	11.2	40	169	0	85	254	0	0	0	254
E18	6/27/01	56 20.3	168	15.0	82	78	0	78	156	0	0	0	156
E19	6/27/01	56 20.0	168	53.4	69	76	76	0	153	0	0	0	153
E21	6/27/01	56 20.4	170	5.4	59	306	306	1990	2603	77	230	306	2909
E22	6/27/01	56 20.2	170	41.0	65	242	0	81	323	0	81	81	403
F01	6/20/01	56 40.8	167	40.6	53	573	655	246	1473	0	0	0	1473
F02	6/20/01	56 40.3	167	3.3	50	818	327	327	1473	0	0	0	1473
F03	6/19/01	56 40.1	166	26.0	44	563	161	563	1286	0	0	0	1286
F04	6/19/01	56 39.8	165	50.9	41	162	162	81	405	0	0	0	405
F05	6/11/01	56 40.6	165	12.7	40	1038	559	399	1995	0	160	160	2155
F06	6/11/01	56 41.1	164	35.9	39	731	487	162	1381	0	0	0	1381
F07	6/8/01	56 37.0	163	55.9	40	226	905	226	1357	0	0	0	1357
F08	6/8/01	56 39.5	163	21.3	40	83	333	167	583	0	0	0	583
F09	6/4/01	56 39.8	162	46.4	38	305	381	229	915	0	0	0	915
F10	6/4/01	56 39.7	162	9.8	39	74	147	0	221	0	0	0	221
F11	6/4/01	56 39.7	161	36.5	48	475	0	317	792	0	0	0	792
F18	6/27/01	56 40.6	168	16.7	57	405	81	81	567	0	0	0	567
F19	6/27/01	56 40.2	168	55.6	53	1431	318	557	2306	0	0	0	2306
F20	6/28/01	56 39.9	169	29.9	42	405	81	324	810	0	0	0	810
F20	6/26/01	56 49.8	169	18.6	42	894	671	522	2087	0	149	149	2236
F21	6/28/01	56 50.0	169	52.3	38	313	391	547	1250	0	0	0	1250
F21	6/28/01	56 40.6	170	7.9	51	798	319	638	1756	0	0	0	1756
F22	6/27/01	56 40.0	170	44.2	60	169	254	169	592	0	0	0	592
F23	7/8/01	56 39.8	171	21.8	63	2963	961	1201	5126	0	0	0	5126
F24	7/8/01	56 40.1	171	57.9	67	90	90	181	362	0	0	0	362
F25	7/8/01	56 40.3	172	34.1	73	0	0	77	77	0	0	0	77
G01	6/20/01	57 0.3	167	42.3	40	475	396	951	1823	79	79	158	1981

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab.

(Chionoecetes opilio)

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	
G02	6/20/01	57 0.0	167 5.1	60	324	162	81	567	0	0	0
G03	6/19/01	57 0.1	166 28.0	38	162	325	406	894	0	0	0
G04	6/19/01	56 59.0	165 50.5	38	795	1193	239	2227	0	0	0
G05	6/11/01	57 0.1	165 12.6	37	614	3149	1459	5223	1383	0	1383
G06	6/11/01	56 59.8	164 35.7	37	450	1800	900	3151	0	0	0
G07	6/7/01	57 2.7	164 2.0	35	81	565	81	726	0	0	0
G08	6/7/01	56 59.1	163 22.9	34	155	388	78	621	0	0	0
G09	6/4/01	57 0.1	162 46.6	32	244	162	244	650	0	0	0
G10	6/4/01	57 0.1	162 9.8	31	0	246	0	246	0	0	0
G11	6/2/01	56 59.8	161 34.5	36	78	0	0	78	0	0	0
G18	6/26/01	56 59.4	168 19.0	43	1146	1719	5483	8348	0	82	82
G19	6/26/01	57 9.7	168 40.1	40	779	467	3504	4750	234	467	701
G19	6/26/01	56 50.2	168 37.4	51	1146	417	1052	2615	104	322	426
G19	6/26/01	56 59.7	168 56.8	42	385	462	1310	2158	154	77	231
G20	6/28/01	57 0.3	169 32.9	32	237	790	553	1579	0	0	0
G20	6/26/01	57 9.8	169 18.9	38	1495	2692	10511	14698	748	8223	8971
G21	6/28/01	56 59.9	170 10.7	37	157	79	0	236	0	0	0
G22	7/8/01	57 0.2	170 47.7	51	0	395	0	395	0	0	0
G22	6/28/01	56 50.1	170 29.2	54	233	466	1009	1707	0	0	0
G23	7/8/01	57 0.2	171 23.7	58	1437	479	160	2075	80	0	80
G24	7/8/01	57 0.2	172 2.3	62	807	81	81	968	0	0	0
G25	7/8/01	57 0.3	172 41.6	65	234	78	0	313	0	0	0
H01	6/21/01	57 19.7	167 44.1	38	161	402	241	804	0	0	0
H02	6/21/01	57 20.5	167 6.3	37	82	408	897	1386	0	163	163
H03	6/19/01	57 20.1	166 28.6	36	565	1210	484	2259	81	0	81
H04	6/14/01	57 20.3	165 51.2	36	260	952	260	1472	0	173	173
H05	6/11/01	57 20.0	165 14.0	35	745	1241	248	2234	83	0	83
H06	6/11/01	57 19.4	164 37.0	35	333	2751	3834	6918	250	834	1084
H07	6/7/01	57 19.7	164 0.5	32	237	1106	1658	3001	79	0	79
H08	6/7/01	57 19.4	163 23.3	27	81	81	81	242	0	0	0
H11	6/2/01	57 19.9	161 33.0	28	80	0	0	80	0	0	0
H12	6/2/01	57 19.3	160 56.5	32	75	0	0	75	0	0	0
H18	6/26/01	57 20.5	168 20.9	38	159	0	318	477	0	159	159

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab.

(Chionoecetes opilio)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
H19	6/24/01	57 29.9	168 45.9	37	82	326	734	1142	0	82	82	1223
H19	6/26/01	57 19.6	168 59.5	37	158	872	1189	2219	79	0	79	2298
H20	6/29/01	57 19.6	169 34.0	34	84	252	924	1260	0	0	0	1260
H20	6/24/01	57 29.6	169 21.9	37	240	801	881	1922	80	400	481	2403
H21	6/29/01	57 29.9	169 59.3	36	875	2624	795	4294	0	0	0	4294
H22	7/5/01	57 19.9	170 50.8	44	0	78	0	78	0	0	0	78
H22	6/29/01	57 29.7	170 35.0	39	168	168	252	588	0	0	0	588
H23	7/5/01	57 20.0	171 27.9	53	398	0	0	398	0	0	0	398
H24	7/9/01	57 20.4	172 5.7	58	1041	400	80	1522	160	0	160	1682
H25	7/8/01	57 18.4	172 42.6	60	0	81	0	81	0	0	0	81
H26	7/8/01	57 18.3	173 19.3	65	0	161	80	241	0	0	0	241
I01	6/21/01	57 40.1	167 45.9	36	0	0	664	664	0	0	0	664
I02	6/21/01	57 40.6	167 7.5	36	506	169	337	1012	0	0	0	1012
I03	6/14/01	57 39.9	166 29.4	35	495	330	412	1237	82	0	82	1319
I04	6/14/01	57 40.6	165 51.8	33	527	1055	879	2462	0	0	0	2462
I05	6/11/01	57 40.1	165 15.1	32	325	812	487	1625	81	81	162	1787
I06	6/11/01	57 40.2	164 37.4	27	0	80	239	318	0	0	0	318
I07	6/7/01	57 39.7	164 0.1	26	83	0	166	249	0	0	0	249
I18	6/24/01	57 40.0	168 23.8	37	253	421	169	843	0	0	0	843
I19	6/24/01	57 39.9	169 2.6	36	251	920	2677	3849	1171	7112	8283	12131
I20	6/29/01	57 39.9	169 39.4	37	798	2873	4017	7688	1330	10375	11705	19393
I20	6/24/01	57 49.5	169 22.0	34	792	3566	12679	17038	0	25551	25551	42589
I21	6/29/01	57 39.8	170 16.3	38	376	1505	2785	4667	0	452	452	5118
I22	7/5/01	57 39.7	170 53.3	45	336	420	84	840	168	0	168	1008
I22	6/29/01	57 49.7	170 36.4	40	71	779	212	1062	0	0	0	1062
I23	7/5/01	57 40.1	171 32.0	53	491	164	0	655	82	0	82	737
I24	7/9/01	57 40.0	172 9.8	57	887	565	323	1775	161	161	323	2097
I25	7/9/01	57 40.3	172 48.3	63	482	161	80	723	161	0	161	884
I26	7/9/01	57 40.1	173 23.9	78	455	152	0	606	0	0	0	606
J01	6/21/01	58 0.2	167 48.3	34	253	169	506	927	0	0	0	927
J02	6/21/01	58 0.1	167 9.5	33	510	934	1104	2548	85	0	85	2633
J03	6/14/01	58 0.1	166 31.1	32	327	327	246	900	0	82	82	982
J04	6/14/01	57 59.3	165 53.7	29	613	613	1226	2452	175	175	350	2802

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab.

(Chionoecetes opilio)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
J05	6/12/01	57 59.6	165 14.8	26	0	400	481	881	80	80	160	1041
J06	6/12/01	57 59.8	164 37.5	23	0	79	79	158	0	0	0	158
J18	6/24/01	57 59.1	168 26.5	36	83	83	166	332	0	166	166	498
J19	6/24/01	57 50.8	168 43.7	37	164	411	493	1068	82	411	493	1561
J19	6/24/01	57 59.8	169 3.1	37	458	1373	1984	3815	153	1831	1984	5798
J20	6/29/01	57 59.5	169 40.8	37	2540	8401	13677	24618	1368	3126	4494	29112
J21	6/29/01	57 50.3	169 59.8	39	771	4779	9190	14739	0	9818	9818	24557
J21	6/29/01	58 0.1	170 20.0	39	1838	18639	18912	39388	755	24530	25286	64674
J22	7/5/01	58 0.1	170 58.5	46	85	254	761	1100	85	0	85	1185
J23	7/5/01	58 0.4	171 36.0	52	1146	1228	327	2701	0	0	0	2701
J24	7/9/01	57 59.6	172 14.6	56	638	479	160	1277	0	0	0	1277
J25	7/9/01	58 0.2	172 51.7	57	307	384	154	845	77	0	77	922
J26	7/9/01	58 0.0	173 28.8	62	1019	157	235	1412	78	0	78	1490
K01	6/21/01	58 20.3	167 50.4	31	0	248	2565	2813	414	662	1076	3889
K02	6/21/01	58 19.3	167 12.3	27	87	606	1298	1991	87	0	87	2077
K03	6/14/01	58 19.7	166 33.0	24	82	0	165	247	0	0	0	247
K04	6/14/01	58 19.0	165 55.9	23	0	0	2783	2783	0	491	491	3274
K05	6/12/01	58 20.1	165 17.4	23	0	0	0	0	80	0	80	80
K18	6/24/01	58 19.5	168 28.2	34	93	465	5394	5952	1860	279	2139	8091
K19	6/24/01	58 19.7	169 7.0	36	508	1015	3554	5077	3300	1269	4569	9645
K20	6/29/01	58 19.9	169 43.1	37	160	1197	3033	4389	1117	479	1596	5986
K21	6/29/01	58 20.0	170 22.5	38	722	14256	23280	38258	1094	3282	4376	42634
K22	7/4/01	58 20.0	171 1.3	44	402	5787	4019	10208	241	0	241	10449
K23	7/4/01	58 20.2	171 39.4	50	459	230	306	995	230	77	306	1301
K24	7/9/01	58 20.0	172 17.6	55	5161	9815	1946	16922	657364	90226	747590	764512
K25	7/9/01	58 20.0	172 55.9	57	1750	750	333	2834	834	0	834	3668
K26	7/9/01	58 20.2	173 34.7	61	3854	3006	231	7091	0	0	0	7091
K27	7/15/01	58 20.1	174 18.0	87	0	0	79	79	79	0	79	157
L01	6/21/01	58 40.3	167 52.3	24	0	0	305	305	76	0	76	381
L02	6/21/01	58 39.9	167 13.2	22	0	0	78	78	0	0	0	78
L18	6/24/01	58 39.9	168 31.9	28	336	168	1260	1764	252	84	336	2099
L19	6/24/01	58 39.7	169 9.0	33	164	1859	23977	26000	6900	3943	10842	36842
L20	6/30/01	58 40.0	169 47.6	36	1337	4010	21220	26567	3084	11753	14837	41404

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab.

(Chionoecetes opilio)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
L21	6/30/01	58 40.3	170 26.0	39	246	4353	13306	17906	3368	2136	5503	23409
L22	7/4/01	58 39.9	171 4.9	44	355	11356	12776	24487	1096	169	1264	25751
L23	7/4/01	58 40.0	171 43.0	49	623	3271	2025	5919	156	0	156	6074
L24	7/10/01	58 39.7	172 22.6	54	504	924	2099	3527	65118	4341	69459	72987
L25	7/10/01	58 40.1	173 0.2	60	1495	1080	415	2990	87631	13353	100984	103974
L26	7/15/01	58 40.3	173 37.0	68	1359	594	255	2208	85	0	85	2293
L28	7/15/01	58 44.4	174 53.7	79	0	0	0	0	0	75	75	75
L29	7/16/01	58 40.5	175 32.9	72	0	0	84	84	0	0	0	84
L30	7/19/01	58 40.3	176 12.5	72	0	80	160	240	0	240	240	481
M02	6/22/01	58 59.3	167 13.1	20	0	0	93	93	0	0	0	93
M18	6/23/01	58 59.7	168 33.3	24	170	85	341	597	0	256	256	852
M19	6/23/01	59 0.1	169 13.0	28	1133	3257	13311	17701	971	1052	2024	19725
M20	6/30/01	58 59.8	169 49.5	33	332	2076	4402	6810	747	1993	2741	9550
M21	6/30/01	59 0.1	170 29.0	37	797	3633	8861	13291	266	266	532	13823
M22	7/4/01	59 0.0	171 7.1	41	173	8138	11082	19393	12467	173	12640	32034
M23	7/4/01	59 0.0	171 46.8	46	787	7791	7476	16053	3069	551	3620	19673
M24	7/10/01	58 59.9	172 26.2	53	1608	643	643	2894	1768	80	1849	4742
M25	7/10/01	59 0.2	173 5.1	56	1875	1223	652	3751	7747	1468	9214	12965
M26	7/15/01	59 0.2	173 43.1	63	860	313	0	1172	156	0	156	1328
M27	7/15/01	59 0.1	174 22.0	67	0	77	77	153	0	77	77	230
M30	7/19/01	58 58.6	176 18.9	72	0	0	313	313	0	391	391	703
M32	7/19/01	59 0.4	177 35.3	72	0	0	0	0	0	79	79	79
N18	6/23/01	59 20.1	168 34.4	21	0	0	1217	1217	0	434	434	1651
N19	6/23/01	59 19.9	169 14.6	26	80	80	5225	5385	723	161	884	6270
N20	6/30/01	59 19.9	169 52.0	32	233	1086	8537	9856	3415	1009	4424	14280
N21	6/30/01	59 20.0	170 32.1	36	332	2990	9467	12789	1329	0	1329	14118
N22	7/4/01	59 19.8	171 11.0	40	1624	6904	23148	31676	21524	2437	23960	55637
N23	7/4/01	59 20.1	171 50.3	42	971	4372	11091	16434	13143	2857	16001	32435
N24	7/10/01	59 20.0	172 29.9	46	3305	5036	7004	15345	551	551	1102	16447
N25	7/10/01	59 20.0	173 9.1	53	856	1112	428	2396	10440	3081	13521	15917
N26	7/15/01	59 19.6	173 47.9	59	1012	312	0	1324	78	234	312	1635
N27	7/15/01	59 19.7	174 26.9	63	1516	479	160	2155	1038	0	1038	3192
N28	7/16/01	59 19.9	175 6.8	71	80	0	0	80	0	80	80	161

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab.

(Chionoecetes opilio)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
N29	7/16/01	59 20.2	175 45.3	73	0	162	567	729	81	405	486	1214
N30	7/19/01	59 20.1	176 23.8	73	251	335	1841	2426	586	3598	4183	6610
O19	6/23/01	59 40.5	169 13.1	24	80	239	7502	7821	638	239	878	8699
O20	6/30/01	59 40.1	169 55.0	30	310	543	2871	3725	310	78	388	4113
O21	6/30/01	59 40.1	170 34.8	35	1034	3022	12565	16621	4931	80	5010	21631
O22	7/4/01	59 40.2	171 14.1	38	0	2674	48128	50802	65317	6111	71428	122230
O23	7/3/01	59 40.3	171 54.0	40	1422	2460	25555	29437	20042	4691	24733	54170
O24	7/10/01	59 40.0	172 33.8	44	4048	4534	12305	20887	50256	14891	65147	86033
O25	7/10/01	59 30.2	172 52.5	50	2781	14601	7231	24613	241	482	723	25336
O25	7/10/01	59 49.9	172 54.6	41	663	10603	40754	52020	34086	19173	53260	105279
O25	7/10/01	59 40.0	173 13.9	50	1756	11652	1038	14445	0	319	319	14765
O26	7/15/01	59 39.9	173 52.0	56	1842	2883	2082	6808	80	320	400	7208
O26	7/10/01	59 30.2	173 29.8	54	243	810	324	1376	729	405	1133	2510
O27	7/15/01	59 39.6	174 27.1	61	2196	2431	1804	6430	15219	2969	18188	24618
O28	7/16/01	59 39.9	175 6.1	67	766	995	153	1914	12554	3062	15616	17530
O30	7/19/01	59 40.2	176 31.5	73	326	1060	1875	3262	489	2854	3343	6605
O31	7/19/01	59 40.3	177 8.9	91	164	82	164	409	82	246	327	737
P18	6/23/01	60 0.0	168 40.1	20	0	0	577	577	0	165	165	742
P19	6/23/01	60 0.7	169 19.2	24	159	80	34171	34410	3738	1113	4851	39261
P20	6/30/01	60 0.5	169 57.3	28	0	0	2377	2377	158	79	238	2615
P21	6/30/01	60 0.0	170 37.5	34	602	376	15656	16635	9581	348	9929	26564
P22	7/4/01	60 0.8	171 20.0	37	350	1752	18223	20325	5957	350	6308	26633
P23	7/3/01	59 59.8	171 57.8	34	78	234	1250	1563	0	78	78	1641
P23	7/3/01	59 50.1	172 15.2	39	614	1613	31186	33413	93780	5516	99297	132710
P24	7/11/01	60 0.1	172 37.9	35	364	3275	17284	20923	5648	4108	9755	30678
P24	7/3/01	60 9.7	172 19.6	30	81	81	567	729	81	162	243	971
P25	7/11/01	60 0.1	173 18.4	39	872	2615	20698	24185	17244	7043	24287	48471
P26	7/14/01	59 60.0	173 57.4	52	2665	20559	36168	59392	233	155	388	59780
P26	7/10/01	59 50.1	173 34.8	50	1421	18242	5765	25428	0	158	158	25586
P27	7/14/01	60 0.2	174 36.0	57	1831	2823	1602	6256	9308	1984	11291	17547
P27	7/14/01	59 50.1	174 14.8	56	1613	1843	1075	4532	154	0	154	4686
P28	7/16/01	60 0.7	175 13.1	62	6567	7213	2045	15825	177332	44333	221665	237491
P29	7/16/01	60 0.1	175 55.8	69	1152	461	154	1767	384	77	461	2228

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab.

(Chionoecetes opilio)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
P30	7/18/01	60 0.1	176 42.9	76	9051	10519	4893	24463	70463	35231	105694	130157
P31	7/18/01	59 60.0	177 12.7	74	866	2282	4623	7771	7397	10800	18197	25968
P32	7/18/01	60 0.3	177 54.7	76	1154	907	660	2720	412	0	412	3133
Q18	6/23/01	60 19.5	168 42.9	18	0	0	86	86	0	86	86	172
Q19	6/23/01	60 18.0	169 19.6	22	0	88	44289	44377	4641	3678	8319	52696
Q20	7/1/01	60 19.8	170 1.8	27	0	194	9140	9334	1329	0	1329	10663
Q21	7/1/01	60 19.8	170 39.9	33	0	495	13190	13685	3627	165	3792	17477
Q22	7/3/01	60 21.4	171 19.1	35	0	741	11120	11861	13096	3707	16803	28664
Q23	7/3/01	60 20.3	172 3.4	31	0	553	9081	9634	0	0	0	9634
Q25	7/11/01	60 11.2	173 1.8	31	0	78	313	391	0	156	156	547
Q25	7/11/01	60 10.0	173 34.3	38	0	3272	17910	21182	5151	2140	7291	28472
Q25	7/11/01	60 20.0	173 25.5	33	150	150	450	750	0	150	150	900
Q26	7/14/01	60 20.1	174 5.1	49	5124	53803	358686	417613	953513	28894	982408	1400021
Q27	7/14/01	60 10.3	174 21.9	54	1677	7927	20886	30490	21199	1898	23098	53588
Q27	7/14/01	60 19.1	174 43.3	54	482	4099	4662	9244	6430	1849	8279	17522
Q28	7/17/01	60 21.0	175 22.6	60	1009	2639	1397	5044	2173	1863	4036	9080
Q29	7/17/01	60 20.4	176 1.8	65	1712	2528	652	4893	979	571	1549	6442
Q30	7/18/01	60 20.3	176 43.3	73	5296	11418	11253	27967	97866	13981	111847	139814
Q31	7/18/01	60 19.4	177 22.7	79	965	723	482	2170	0	80	80	2251
R20	7/1/01	60 39.6	170 2.8	26	0	489	6850	7339	1223	163	1386	8725
R21	7/1/01	60 39.9	170 45.3	31	0	246	9084	9330	7192	0	7192	16522
R22	7/3/01	60 41.5	171 28.5	33	0	1952	57584	59536	54656	6832	61488	121024
R23	7/2/01	60 40.1	172 6.9	32	0	491	22915	23406	11285	4630	15915	39321
R24	7/11/01	60 40.0	172 47.1	22	0	395	7107	7502	474	158	632	8134
R25	7/11/01	60 40.1	173 27.9	34	81	0	162	243	0	405	405	648
R26	7/14/01	60 40.1	174 9.1	46	1412	18362	203390	223164	373475	37690	411165	634329
R27	7/14/01	60 39.9	174 49.6	52	1599	14128	32254	47982	68804	37758	106562	154544
R28	7/17/01	60 39.6	175 27.4	57	1579	10054	24785	36418	553	237	790	37208
R29	7/17/01	60 40.4	176 12.2	63	1895	7660	2211	11766	316	158	474	12240
R30	7/18/01	60 40.2	176 49.3	69	6230	7554	2881	16665	5529	1402	6931	23596
R31	7/18/01	60 40.1	177 30.3	78	2228	2897	2748	7873	594	1114	1708	9582
R32	7/18/01	60 40.1	178 10.8	86	2852	1156	1387	5395	1773	3391	5164	10559
S20	7/1/01	60 59.7	170 5.7	25	0	381	19054	19435	5829	1619	7448	26883

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab.

(Chionoecetes opilio)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
S21	7/1/01	60 60.0	170 47.4	27	0	80	16939	17019	23269	7202	30472	47491
S22	7/3/01	60 59.3	171 30.0	32	0	0	49548	49548	36402	5056	41458	91006
S23	7/2/01	61 0.4	172 11.5	33	0	137	20807	20944	15453	2080	17533	38477
S24	7/11/01	61 0.1	172 48.8	34	0	1192	65537	66728	22029	4665	26694	93422
S25	7/11/01	61 1.4	173 29.3	40	0	1461	117642	119103	45435	10210	55646	174749
S26	7/14/01	60 59.7	174 11.7	45	1073	16102	134182	151357	112918	11292	124209	275566
S27	7/14/01	60 59.7	174 53.2	49	420	11332	103245	114997	69612	5314	74926	189923
S28	7/17/01	60 59.9	175 33.5	54	3191	30998	40571	74761	2634	958	3591	78352
S29	7/17/01	61 0.2	176 17.1	59	2671	16696	22261	41628	27316	1205	28521	70149
S30	7/18/01	61 0.1	176 58.3	65	3505	26543	24967	55014	3925	1602	5526	60540
S31	7/18/01	60 59.8	177 38.0	72	2075	14262	21264	37600	47685	1907	49593	87193
T20	7/1/01	61 19.6	170 9.5	25	0	0	11719	11719	1731	1023	2754	14473
T21	7/1/01	61 19.9	170 51.6	25	0	309	25678	25987	10792	7092	17884	43871
T22	7/2/01	61 19.8	171 32.0	29	0	0	24795	24795	4785	10440	15225	40020
T23	7/2/01	61 20.1	172 14.4	33	0	667	47688	48355	15914	8569	24482	72837
T24	7/12/01	61 20.4	172 55.6	37	0	2870	154616	157486	21985	25339	47324	204810
T25	7/11/01	61 19.8	173 35.0	39	0	1279	50839	52118	19668	10074	29742	81861
T26	7/13/01	61 20.1	174 20.5	42	957	6697	123414	131067	49570	14939	64508	195576
T27	7/13/01	61 20.1	175 0.7	46	1654	8600	56894	67148	10917	1680	12597	79745
T28	7/17/01	61 19.8	175 40.5	52	6554	78646	373570	458770	93546	10735	104281	563051
T29	7/17/01	61 20.2	176 18.5	56	1751	20313	34672	56736	2081	231	2312	59048
T30	7/18/01	61 20.2	176 58.8	62	6760	7157	9623	23540	2306	1034	3340	26880
U20	7/1/01	61 39.9	170 11.8	24	0	0	37621	37621	5238	491	5729	43350
U21	7/1/01	61 39.9	170 55.0	26	0	254	51864	52118	8639	17277	25916	78034
U22	7/2/01	61 40.6	171 33.7	29	0	0	75534	75534	4999	58733	63731	139265
U23	7/2/01	61 40.5	172 17.4	32	0	485	85272	85757	7767	26407	34174	119931
U24	7/12/01	61 40.4	173 5.6	36	0	912	63355	64267	13925	18458	32383	96650
U25	7/12/01	61 39.9	173 40.2	37	0	541	41079	41620	4843	13491	18334	59954
U26	7/13/01	61 39.9	174 26.6	42	0	152	87702	87854	6325	54326	60651	148505
U27	7/13/01	61 40.1	175 5.2	45	0	1579	35997	37576	20215	3110	23325	60900
U28	7/17/01	61 39.9	175 46.8	51	978	22490	210233	233701	123206	8800	132006	365707
U29	7/17/01	61 40.4	176 27.7	56	552	19305	90459	110316	63163	9717	72880	183197
V23	7/12/01	61 59.6	172 22.2	29	0	0	51828	51828	4537	20869	25405	77233

Table 10. Summary of crab density by tow (# per square nmi) for Snow Crab.

(Chionoecetes opilio)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
V24	7/12/01	62 0.6	173 3.7	31	0	669	55565	56234	6203	31360	37563	93797
V25	7/12/01	61 60.0	173 50.6	33	0	239	46785	47024	4808	35259	40067	87091
V26	7/13/01	62 0.1	174 32.0	39	0	0	516868	516868	15904	532772	548676	1065544
V27	7/13/01	62 0.1	175 10.1	42	0	167	15404	15571	3660	4127	7788	23359
V28	7/17/01	61 59.8	175 50.0	48	0	4690	189946	194636	114905	16415	131320	325956
W23	7/12/01	62 20.2	172 23.7	28	0	0	85669	85669	0	74572	74572	160241
W24	7/12/01	62 20.0	173 9.9	31	0	157	15896	16053	1416	11332	12748	28801
W25	7/12/01	62 20.0	173 50.5	33	0	81	12756	12837	1706	4144	5850	18687
W26	7/13/01	62 19.5	174 34.6	38	0	0	142502	142502	1344	44364	45708	188210
W27	7/13/01	62 20.0	175 15.6	41	0	78	7424	7502	1719	1797	3517	11019
X23	7/12/01	62 39.7	172 28.8	26	0	0	18019	18019	0	12151	12151	30170
X24	7/12/01	62 39.8	173 11.8	33	0	0	23063	23063	4613	9543	14156	37218
X25	7/13/01	62 39.6	173 54.8	37	0	160	29632	29792	4407	16949	21356	51148
X26	7/13/01	62 39.7	174 38.0	38	0	0	5783	5783	938	2970	3907	9690

NOTE: Minimum carapace sizes used are: Large Males &gt; 4.0 in; Medium Males = 3.1 to 4.0 in; Large Females &gt; 2.0 in.

Table 11. Summary of crab density by tow (# per square nmi) for Hair Crab.

(Erimacrus isenbeckii)

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
B07	6/8/01	55 20.3	164	2.0	42	0	0	0	82	0	82	82
C07	6/8/01	55 41.7	164	0.1	49	0	0	0	0	78	78	78
C09	6/3/01	55 39.7	162	51.0	27	0	76	0	76	0	0	76
D08	6/8/01	55 59.6	163	24.4	46	0	0	161	161	0	80	241
D10	6/3/01	56 0.1	162	13.8	37	233	0	0	233	388	0	621
E10	6/3/01	56 20.1	162	11.2	40	169	0	0	169	169	0	338
F10	6/4/01	56 39.7	162	9.8	39	221	0	0	221	74	0	294
F12	6/3/01	56 41.3	160	58.9	36	0	0	0	82	0	82	82
F13	5/31/01	56 41.1	160	22.3	32	82	82	0	164	82	0	246
F20	6/28/01	56 39.9	169	29.9	42	81	0	0	81	0	0	81
F21	6/28/01	56 50.0	169	52.3	38	78	0	0	78	156	0	234
G09	6/4/01	57 0.1	162	46.6	32	0	0	81	81	0	0	81
G10	6/4/01	57 0.1	162	9.8	31	82	0	0	82	82	0	164
G13	5/31/01	57 0.4	160	19.7	32	0	0	0	0	80	0	80
G19	6/26/01	57 9.7	168	40.1	40	78	0	78	156	0	78	234
G20	6/28/01	57 0.3	169	32.9	32	0	79	0	79	79	158	237
G21	6/28/01	56 59.9	170	10.7	37	79	0	0	79	0	0	79
G22	6/28/01	57 6.9	170	27.7	26	393	79	0	472	0	0	472
H08	6/7/01	57 19.4	163	23.3	27	323	0	0	323	0	0	323
H10	6/4/01	57 19.8	162	9.8	26	79	0	0	79	0	0	79
H11	6/2/01	57 19.9	161	33.0	28	80	0	0	80	80	0	160
H18	6/26/01	57 20.5	168	20.9	38	0	0	0	80	0	80	80
H19	6/24/01	57 29.9	168	45.9	37	82	0	0	82	0	163	245
H19	6/26/01	57 19.6	168	59.5	37	713	79	79	872	158	238	396
H20	6/24/01	57 29.6	169	21.9	37	0	0	0	80	0	80	80
H21	6/28/01	57 10.1	169	53.1	26	0	248	0	248	0	0	248
H21	6/28/01	57 19.4	170	13.4	28	84	0	0	84	0	0	84
I01	6/21/01	57 40.1	167	45.9	36	0	0	0	83	0	83	83
I06	6/11/01	57 40.2	164	37.4	27	80	0	0	80	0	0	80
I20	6/24/01	57 49.5	169	22.0	34	79	0	0	79	79	0	158
K01	6/21/01	58 20.3	167	50.4	31	83	0	0	83	0	0	83
K02	6/21/01	58 19.3	167	12.3	27	87	0	0	87	87	0	173
K18	6/24/01	58 19.5	168	28.2	34	186	0	0	186	0	0	186

Table 11. Summary of crab density by tow (# per square nmi) for Hair Crab.

(Erimacrus isenbeckii)

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small		
L01	6/21/01	58 40.3	167 52.3	24	229	0	0	229	76	0	76	305
L02	6/21/01	58 39.9	167 13.2	22	78	0	0	78	0	0	0	78
L03	6/14/01	58 39.5	166 33.1	21	77	0	0	77	0	0	0	77
L18	6/24/01	58 39.9	168 31.9	28	84	0	0	84	0	0	0	84
L21	6/30/01	58 40.3	170 26.0	39	82	0	0	82	0	0	0	82
M02	6/22/01	58 59.3	167 13.1	20	0	187	0	187	0	0	0	187
M18	6/23/01	58 59.7	168 33.3	24	85	0	0	85	85	0	85	170
M19	6/23/01	59 0.1	169 13.0	28	162	0	0	162	81	0	81	243
N01	6/22/01	59 19.2	167 55.3	20	0	0	0	0	257	0	257	257
N18	6/23/01	59 20.1	168 34.4	21	434	0	0	434	608	174	782	1217
N19	6/23/01	59 19.9	169 14.6	26	0	0	0	0	0	80	80	80
N20	6/30/01	59 19.9	169 52.0	32	78	0	0	78	0	0	0	78
O18	6/23/01	59 39.7	168 37.0	20	87	87	0	174	436	349	785	960
O19	6/23/01	59 40.5	169 13.1	24	0	0	0	0	160	0	160	160
P01	6/22/01	59 60.0	167 59.3	13	0	0	0	0	325	81	406	406
P18	6/23/01	60 0.0	168 40.1	20	247	0	0	247	247	165	412	660
P19	6/23/01	60 0.7	169 19.2	24	0	0	0	0	0	159	159	159
Q01	6/22/01	60 20.8	167 59.5	15	0	0	0	0	87	0	87	87
Q18	6/23/01	60 19.5	168 42.9	18	172	172	0	344	0	0	0	344
Q19	6/23/01	60 18.0	169 19.6	22	88	88	0	175	0	0	0	175
Q20	7/1/01	60 19.8	170 1.8	27	83	0	0	83	0	0	0	83

NOTE: Minimum carapace sizes used are: Large Males &gt; 3.25 in; Medium Males = 2.0 to 3.25 in; Large Females &gt; 2.6 in.