

Table 1. All-nation historical catch of pollock from the Bering Sea, in metric tons, 1977-2006

Year	Olyutorskiy-Karagin (W of 170W)	Navarin Region (E of 170W)	Donut Hole	Bogoslof	Aleutian Region	Eastern Bering Sea	Total Bering Sea
1977	265,000				7,625	978,370	1,250,995
1978	417,000				6,282	979,431	1,402,713
1979	546,000				9,504	935,714	1,491,218
1980	825,000				58,156	958,280	1,841,436
1981	1,133,000				55,516	973,502	2,162,018
1982	976,000				57,978	955,964	1,989,942
1983	1,006,000				59,026	981,450	2,046,476
1984	252,000	503,000	181,200		81,834	1,092,055	2,110,089
1985	134,000	488,000	363,400		58,730	1,139,676	2,183,806
1986	297,000	570,000	1,039,800		46,641	1,141,993	3,095,434
1987	349,000	463,000	1,326,300	377,436	28,720	859,416	3,403,872
1988	475,000	852,000	1,395,900	87,813	30,000	1,228,721	4,069,434
1989	345,000	684,000	1,447,600	36,073	15,531	1,229,600	3,757,804
1990	582,000	232,000	917,400	151,672	79,025	1,455,193	3,417,290
1991	326,000	178,000	293,400	264,760	78,649	1,217,301	2,358,110
1992	282,000	315,000	10,000	160	48,745	1,164,440	1,820,345
1993	288,000	389,000	1,957	885	54,074	1,198,790	1,932,706
1994	204,000	288,900	NA	556	53,224	1,197,224	1,743,904
1995	79,000	427,300	Trace	264	60,184	1,169,614	1,736,362
1996	34,000	753,000	Trace	389	26,597	1,102,579	1,916,565
1997	30,000	735,000	Trace	163	24,721	1,036,789	1,826,673
1998	25,000	719,000	Trace	8	22,053	1,058,288	1,824,349
1999	46,000	639,000	Trace	1	965	889,561	1,575,527
2000	15,000	507,000	Trace	29	1,174	1,019,067	1,542,270
2001	25,000	526,000	0	61	788	1,247,305	1,799,154
2002	8,000	370,000	0	22	1,134	1,331,416	1,710,572
2003	14,600	411,200	0	24	1,653	1,491,356	1,918,833
2004	6,200	424,500	0	0	1,150	1,493,394	1,925,244
2005	4,400	446,800	0	0	1,622	1,483,398	1,936,220
2006	3,900	462,500	0	0	1,736	1,486,414	1,954,550
2007*		245,370	0	0	2,359	988,103	1,235,832

* US data through 11 August 2007 and Russian data through 10 August 2007.

Sources of Data

U.S. Data, 1979-1992 from Pollock stock assessment document at 7th Annual Conference

1993-2006 data from web site: www.fakr.noaa.gov

Navarin Data, 1994-2001 (from Russian pollock stock assessment document presented by the Russian Party at the 6th annual conference in Poland)

Navarin Data, 1984-1993 (from The Aleutian Basin Pollock Stock in 2001 written by TINRO and presented at 6th annual conference)

Table 2. Estimated Biomass (mt) of Pollock in the Aleutian Basin region of the Convention Area based on assumption that the Bogoslof Survey biomass represents sixty percent of the Aleutian Basin biomass.

Year	Bogoslof Biomass from Surveys, mt	Basin Biomass (Extrapolated Biomass)	Catch mt	Exploitation Rate (%)
1984			181,200	?
1985			363,400	?
1986			1,039,800	?
1987			1,326,300	?
1988	2,396,000	3,993,333	1,395,900	35
1989	2,084,000	3,473,333	1,447,600	42
1990			917,400	?
1991	1,283,000	2,138,333	293,400	14
1992	888,000	1,480,000	10,000	1
1993	631,000	1,051,667	1,957	0
1994	490,000	816,667	0	0
1995	1,020,000	1,700,000	0	0
1996	582,000	970,000	0	0
1997	342,000	570,000	0	0
1998	432,000	720,000	0	0
1999	393,000	655,000	0	0
2000	270,000	450,000	0	0
2001	208,000	346,667	0	0
2002	227,000	378,333	0	0
2003	198,000	330,000	0	0
2004	No survey		0	?
2005	253,000	421,667	0	0
2006	240,000	400,000	0	0
2007	292,000	486,667	0	0